

INDEX MAPS.

T.9N R.1W 2nd Mer.

257		258		258		258		259		259	
262	6	284	5	282	4	284	3	281	2	284	1
283		282		280		281		270		270	
261	7	283	8	282	9	280	10	269	11	270	12
283		279		278		268		268		269	
261	18	279	17	278	16	267	15	268	14	267	13
279		277		278		266		265		267	
261	19	277	20	276	21	266	22	266	23	265	24
277		275		275-276		264		263		264	
260	30	275	29	276	28	273	27	264	26	263	25
274		274		273		272		271		263	
260	31	274	32	273	33	272	34	271	35	262	36
254		254		254		253		253		253	

T.10N R.1W 2nd Mer.

293		293-294		293-294		292-294		292-295		292-295	
297	6	306	5	309	4	313	3	318	2	325	1
305		308		312		317		324		325	
297	7	305	8	308	9	312	10	317	11	324	12
304		307		311		316		323		323	
296	18	304	17	307	16	311	15	316	14	322	13
300-304		306		310		316		322		322	
303		306		310		316		322		322	
296	19	300	20	306	21	310	22	315	23	321	24
299-300		299		299-310		315		320		321	
300		306		310		315		320		321	
296	30	299	29	302	28	309	27	314	26	320	25
298		298		302		301		314		319	
298		298		302		301		314		319	
295	31	298	32	302	33	301	34	313	35	318	36
287		287		287		288		288-289		289	

The figures on the lines refer to the page.

Township No 10 North Range No 1 West 2nd Mer.
Ch. 6th.

South Boundary.

April 5th 1811. from the cor. of T. 9 & 10.
N. R. 31 & 2 W.

East On the South Boundary of sec. 31. T. No 10 N.
R. No 1 W.

23.00 To a Brook 10 links wide; Course N.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which an
Ash 30 in. dia. bears North 15 links dist; & a
Buck 14 " " " S 78 E. 27 " "

60.50 To a Brook 8 links wide; Course S. E.

80.00 Set a post for the cor. to sec. 31. & 32. T. No 10
N. R. No 1 W. from which a

Sugar 14 in. dia. bears S 28 E. 5 links dist; & a
Buck 13 " " " N 17 E. 28 " "
Rich hilly lands; Timber Buck, Ash, Buckeye &c,

East On the South Boundary of sec. 32. T. No 9 N. R.
No 1 W.

1.50 To a Brook 150 links wide; Course N. W.

5.00 " " " 150 " " " S. E.

11.00 " " " 150 " " " N. W.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck 18 in. dia. bears S 61 W. 16 links dist; & a

Do 11 " " " N 57 E. 30 " "

80.00 Set a post for the cor. to sec. 32 & 33. T. No 10
N. R. No 1 W. from which a

White 14 in. dia. bears S 65 E. 27 links dist; &
Buck 5 " " " N 21 E. 23 " "
Sands 1st $\frac{1}{4}$ mile flat bottom covered with
mats; Timber maple, Elm, &c. 2nd $\frac{1}{4}$ from
Willow Oak lands; &c.

East On the South Boundary of sec. 33. T. No 10 N.
R. No 1 W.

10.00 To a Brook 6 links wide; Course S. E.

17.00 " " " 10 " " " S. W.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a

T. N^o 10. N.R. N^o 1 W. 2nd Mer. Soid^o

Ash 20 in. dia. beam S 81 W. 16 links dish; to
Buck 10 " " " N 55 E. 15 " "
Sands flat bottom; Timber Elm.

80.00 Set a post for the cor. to sec. 33. 134 T. N^o
10. N.R. N^o 1 W. from which an
Ash 12 in. dia. beam N 77 E. 5 links dish; to
Buck 18 " " " S 48 W. 19 " "
Sands first 1/2 mile Hilley Oak lands; 2nd
1/2 flat Elm bottom lands.

East On the South Boundary of Sec. 34. T. N^o 40
N.R. N^o 1 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
Sawn 30 in. dia. beam N 40 E. 9 links dish; to
Buck 10 " " " S 49 W. 9 " "
Wet Buck lands;

57.00 To a Barock 150 links wide; beam S.W.

65.00 " " " 150 " " " N.W.

80.00 Set a post for the cor. to sec. 34. & 35. T. N^o
10 N.R. N^o 1 W. from which a
Buck 12 in. dia. beam N 50 W. 34 links dish;
do 24 " " " S 50 E. 28 " "
Sands flat bottom; Timber Buck, Elm, &
Maple.

East On the South Boundary of sec. 35. T. N^o 10.
N.R. N^o 1 W.

8.50 To a Barock 40 links wide; beam S.

32.50 " " " 150 " " " S.W.

38.50 " " " 8 " " " N.W.

40.00 Set a post for the cor. to 1/4 sec. from which a
Sawn 16 in. dia. beam S 46 W. 6 links dish; to
Buck 5 " " " N. 38 E. 19 " "
Poor wet Buck Bottom lands. &c

59.00 Set a post on the N. Boundary line of Har-
rison's Purchase at the cor. of sec. 2 & 35

T. N^o 10. N. R. N^o 17. 2nd Mer. Ind^a.

T^s 10. & 9. from which a
 Hick^y 4 in. dia. bore N 33 E. 14 links dist;
 Logwood 4 in. " " S 20 W. 20 " "
 Surveyed by Alex^r Holmes.

Var. 6° 30' The remainder of this Town line
 was surveyed by W. Harris. L.S.

West On the South Boundary of Sec. 36. T. N^o 10 N.
 R. N^o 17. On a Random line
 40.00 Set a temp^y post for the cor. to 1/4 sec.
 80.00 Set a " " " " " " Sec. 35 & 36.
 T. N^o 10 N. R. N^o 17.

West On the S. Boundary of Sec. 35. T. N^o 10 N. R. N^o
 17. On a Random line.

11.00 Full 360 links South of the post set on the
 N. Boundary of Harris' old Purchase cor of Sec
 2 & 35 T^s 9 & 10. N. R. N^o 17.

East On the true line South side of Sec. 35 from the
 post set by a Holmes on the N. Boundary of
 Harris' old Purchase cor to Sec. 2 & 35. T. N^o
 9 & 10 N. R. N^o 17.

11.00 Set a post for the cor. to Sec. 35 & 36. T. N^o 10
 N. R. N^o 17. from which a
 Ball^s 18 in. dia. bore N 38 E. 15 links dist;
 Hick^y 9 in. " " " " S 45 W. 9 " "

East On the S. Boundary of Sec. 36. T. N^o 10. N.
 R. N^o 17. True line

40.00 Set a post for the cor. to 1/4 sec. from which a
 Sassafras 9 in dia bore S 63 E. 20 links dist;
 a Hick^y 12 in. " " " " S 80 W. 6 " "
 80.00 To the post set for the cor. to Sec. 1 & 36.
 T^s N^o 9 & 10 N. R. N^o 1 E. & 17.

T. N^o 10. N.R. N^o 17. 2nd Mer.

East Boundary

- North On the 2nd Mer. on the East Boundary of Sec. 36 T. N^o 10 N.R. N^o 17. Var. 6° 30'
- 40.00 Set a post for the cor. to 1/4 sec. from which a
Sycamore 30 in. dia. bore South 40° 40' dish;
Hick 7 n n n S 48° W 42 n n
- 41.00 To a Brook 20 links wide; Course W.
- 67.00 Entered a swamp.
- 80.00 Set a post for the cor. to sec. 25 & 36. T. N^o 10
N.R. N^o 17. from which a
Maple 8 in. dia. bore S 44° W. 10 links dish; to
Do 12 n n n N 12° W. 5 p n n
Cando post broken & post swamp. 2nd rate
ditch;

May 20th 1819.

North On the 2nd Mer. on the East Boundary of Sec. 25
T. N^o 10 N. R. N^o 17.

- 5.00 Passed the Swamp.
- 39.00 To a Brook 100 links wide; Course W.
- 40.00 Set a post for the cor. to 1/4 sec. from which a
Sycamore. 18 in. dia. bore N 19° W. 32 links dish
- 80.00 Set a post for the cor. to sec. 24 & 25 T. N^o 10
N.R. N^o 17. from which a
Sugar 12 in. dia. bore S 43° W. 32 links dish;
Pine 6 n n n N 23° E. 16 n n n
Cando mostly land cando not, rather swampy

North On the 2nd Mer. on the East Boundary of Sec.
24 T. N^o 10 N.R. N^o 17.

- 40.00 Set a post for the cor. to 1/4 sec. from which a
Pine 8 in. dia. bore S 56° E 16 links dish; to
Puckey 12 n n n S 63° W 2 n n n
- 45.00 To a Brook 10 links wide; Course E.
- 52.50 n n n 10 n n n S. E.
- 60.00 n n n 10 n n n S. W.

T. N^o 10. N.R. N^o 17. 2nd Mer. (Sec. 2)

80.00 Set a post for the cor. to Sec. 13 & 24. T. N^o 10. N.R. N^o 17. from which a
 T.B. Ash, 12 in. dia. bears S51 W. 12 links dist;
 Buck 12 " " " S63 E. 6 " "
 Lande part well & part rather broken.
 Timber Generally Buck, some Sugar, Poplar,
 Ash & Walnut.

North On the 2nd Mer. on the East side of Sec. 13.
 T. N^o 10 N.R. N^o 17. from which

24.00 To a Brook 5 in. dia bears S.E.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 14 in. dia. bears S38 E. 18 links dist;
 Do 9 " " " N79 W. 14 " "

80.00 Set a post for the cor. to Sec. 12 & 13. T. N^o 10
 N.R. N^o 17. from which a
 Buck 12 in. dia. bears S35 W. 15 links dist; to
 Ash 30 " " " N83 E. 9 " "
 The South $\frac{3}{4}$ of this mile rather broken; good
 2nd rate land; Timber some; The N $\frac{1}{4}$ rich
 land; middling good farming land;

North Between Sec. 7 & 12 On the 2nd Mer. T. N^o 10 N.
 R. N^o 1 E & 1 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 12 in. dia bears S80 E. 14 links dist; to
 Do 24 " " " S71 W. 21 " "

45.00 To a Brook 8 links wide; course S.W.

80.00 Set a post for the cor. to Sec. 1 & 12 T. N^o 10 N.
 R. N^o 1 W. from which a
 Buck 18 in. dia bears S4 E. 59 links dist; to
 Sugar 14 " " " N19 E. 17 " "
 Lande rather broken good soil; Timber Buck
 Sugar. Ash, Poplar, Oak; middling good
 farming land;

T. N^o 10. N.R. N^o 17. 2nd Mer. (Tada.)

North On the 2nd Mer. on the East side of Sec 1 T.
N^o 10. N.R. N^o 17.

38.00 To a Brook 6 miles wide, across N.W.

40.00 Set a post for the cor. to 1/4 sec. from which
a Hackberry 18 in. dia. bears N 54 E. 34 the dist
Nabunt 6 " " " S 15 E. 40 " "

45.00 To a Brook 30 miles wide; across W.

80.00 Set a post for the cor. to Sec. 1. 6. 31. & 36
T. N^o 10. & 11 N.R. N^o 1 E & 1 W. from which a
Beech 9 in. dia. bears S 25 W. 10 miles dist;
do 12 " " " N 3 E. 31 " "
Lands S. 1/2 very broken & Heilly; N. 1/2
muddling good farming lands; Timber
Same.

North Boundary

West On the S. Boundary of Sec. 36. T. N^o 11 N.R.
N^o 17. On a Random line

40.00 Set a temp. post for the cor. to 1/4 sec.

40.00 To a Brook 30 miles wide; across N.W.

47.00 " " Spring - " " " " N.W.

80.00 Set a temp. post for the cor. to Sec. 35 & 36
T. N^o 11 N.R. N^o 17. Lands very broken
& Heilly Timber Same

West On the S. Boundary of Sec. 35 T. N^o 10 N.
R. N^o 17. On a Random line.

40.00 Set a temp. post for the cor. to 1/4 sec.

80.00 Set a " " " " " " " " Sec. 34 &
35 T. N^o 11. N.R. N^o 17. Lands broken
& Heilly Timber Oak, Beech, Poplar. &
very brushy.

West On the S. Boundary of Sec. 34 T. N^o 11 N.R.
N^o 17. On a Random line.

40.00 Set a temp. post for the cor. to 1/4 sec.

293

T. No 10 N.R. No 177. 2nd Mer. (Ind.)

- 79.50 To a Brook 30 th mile; leave N.W.
 80.00 Set a temporary post for the cor. to sec. 33 & 34.
 T. No 11. N.R. No 177. Sand bar; Timber
 Oak, Buck, Ash, 2nd onto land; muddling
 good farming land;

Friday May 21st 1819.

- West On the S. Boundary of sec. 33 T. No 10 N.R. No
 177. On a Random line.
 41.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 80.00 Set a temporary post for the cor. to sec. 32, 33
 T. No 11 N.R. No 177.
 Land very broken & Hilley good soil; Timber
 same.

- West On the S. Boundary of sec. 32 T. No 11 N.R. No
 177. 2nd Mer. On a Random.
 38.00 To a Brook 5 th mile; leave S.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 38.00 To a Brook 8 th mile; leave S.W.
 80.00 Set a temporary post for the cor. to sec. 31 & 32.
 T. No 11 N.R. No 177.
 Land rolling with and good for farming;
 Timber same as on the last mile.

- West On the S. Boundary of sec. 31 T. No 11 N.
 R. No 177. 2nd Mer. On a Random line
 22.80 To a Brook 12 th mile; leave S.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 67.50 Intersected the Range line

- East On the S. Boundary of sec. 31 T. No 11 N.
 R. No 177. On the true line
 27.50 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 N Oak 12 m. line bears S 74 W. 22 th mile dist;
 do 30 " " N 57 E. 27 " "

T. No 10. N.R. No 1 W. 2nd Mer. (Ind.)

- 37.80 To a Brook 8 miles wide; leave E.W.
 67.50 Set a post for the cor. to sec. 31 & 32 T. No 11
 N.R. No 1 W. from which a
 W. Oak 30 in. dia. bears N 48 E. 5 miles dist; to
 Poplar 12 " " " N 53 W 25 " "

East On the E. Boundary of sec. 32. T. No 11 N.
 R. No 1 W. On the true line.

- 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 24 in. dia. bears S 13 E. 49 miles dist; to
 Do 30 " " " N 76 W. 32 " "
 80.00 Set a post for the cor. to sec. 32 & 33. T. No 11
 N.R. No 1 W. from which a
 Hickory 18 in. dia. bears N 70 E. 36 miles dist; to
 W. Oak 27 " " " N 77 W 33 " "

East On the E. Boundary of sec. 33. T. No 11 N.
 R. No 1 W. On the true line.

- 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 12 in. dia. bears N 71 E. 9 miles dist; to
 Hickory 18 " " " S 15 E 18 " "
 80.00 Set a post for the cor. to sec. 33. & 34 T. No
 11. N.R. No 1 W. from which a
 Hackberry 11 in. dia. bears S 71 E. 16 miles dist; to
 Do 27 " " " S 60 W 33 " "

East On the E. Boundary of sec. 34. T. No 11 N.
 R. No 1 W. On the true line.

- 40.00 Set a post for the cor. to 1/4 sec. from which a
 Log mode 9 in. dia. bears N 40 W. 5 miles dist;
 to a W. Oak 30 " " " S 64 E 27 " "
 80.00 Set a post for the cor. to sec. 34 & 35 T. No 11
 N.R. No 1 W. from which a
 Buck 18 in. dia. bears West 39 miles dist; to
 W. Oak 18 " " " N 62 E. 36 " "

T. N^o 10 N.R. N^o 17. 2nd Mer. (Ind^y)

East On the E. Boundary of Sec. 35 T. N^o 11 N.R.
N^o 17. On the true line.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Hackberry 8 in. dia. bears S 11 W. 31 links dist; to
Hickory 11 " " " N 16 W. " " "

80.00 Set a post for the cor. to sec. 35 & 36. T. N^o 11
N.R. N^o 17. from which a
Hickory 9 in. dia. bears N. 59 E. 13 links dist; to
Sum 24 " " " S 35 W. 27 " "

East On the E. Boundary of sec. 36. T. N^o 11. N.R.
N^o 17. On the true line.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Hackberry 18 in. dia. bears S 57 W. 15 links dist;
Walnut 24 " " " N 64 E. 30 " "

80.00 To the cor. of sec. 1. 6. 31. 36 T^s N^o 10. & 11. N.
R^s 1 E & 1 W.

West Boundary

From the cor. of sec. 1. 6. 31. 36. T^s 9. & 10. N.
R^s 1 & 2 W. thence

North On the East Boundary of sec. 36 T. N^o 10 N.
R. N^o 2 W. on the true line.

15.50 To a Brook 20 links dist. bears N. E.

32.00 To a Hickory 16 in dia. stands in the line.

39.00 " " Brook 10 links wide; Runs E.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which an
Ash 13 in. dia. bears S 60 W. 22 links dist; to
Buck 15 " " " N 7 W. 23 " "
Land hilly and rich; Timber Buck, Ash,
Walnut &c

73.50 To a Brook 12 links wide; Course E.

80.00 Set a post for the cor. to sec. 25. 136. T. N^o
10. N.R. N^o 2 W. from which an
Ash 9 in. dia. bears S 30 W. 13 links dist; to
Logwood 4 " " " S 64 E 16 " "

T. No 10 N.R. No 1 W. 2nd Sec. Mer. (Ind.)

Sands and timber same as on the last 1/2 mile.

North On the E. side of Sec. 25. T. No 10 N.R. No 2 W.

16.00 To an Ash 18 in. dia. It stands in the line

40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 10 in. dia. bears S 47 W. 12 links dist; or
do do 40 n n n N 31 E. 4 n n

55.00 To a Buck 150 links wide; Course S 17 W

80.00 Set a post for the cor. to Sec. 24 & 25. T. No 10
N.R. No 2 W. from which an

Ash 15 in. dia. bears S 45 E. 12 links dist; or
Maple 8 n n n N 75 W. 15 n n

Sands on the 1st 1/2 mile same as the last.
described; 2nd 1/2 not bottom lands; T.
Maple 10.

Surveyed by Asst. Holmes
Deputy Chf.

October 4th 1815. The above line Continued
by W. Harris Dep^y Surveyor.

North On the E. side of Sec. 24. T. No 10 N.R. No
2 W. On the true line.

40.00 Set a post for the cor. to 1/4 sec. from which a
Maple 17 in. dia. bears S 45 W. 10 links dist; or
B. Oak 5 n n n N 38 E. 7 n n

80.00 Set a post for the cor. to Sec. 13 & 24 T. No 10
N.R. No 2 W. from which a

B. Buck 4 in. dia. bears - S 4 W. 8 links dist; or
do do 18 n n n N 13 E. 29 n n

Sands first 1/2 mile not bottom lands; 2nd 1/2
Heilly good Ind; Timber Buck & Oak,

North On the E. side of Sec. 13. T. No 10 N.R. No 2
W. On the true line

21.50 To a Creek 45 links wide; Course W.

37.60 Intersected the N. Board line of Harris me

T. N^o 10. N.R. N^o 17. 2nd Mer. Ind.^e

- Purchase under let a post for the cor. to sec 13 &
 18 T^s N^o 10. N.R. N^o 1 & 2 N. from which a
 Buck 13 in. dia. bears N 39 E. 10 miles dist; to
 do 16 " " " S 74 W 29 " "
 40.00 Let a post for the cor. to 1/4 sec. from which a
 W Oak, 14 in. dia. bears S 39 W. 2 miles dist;
 Buck 8 " " " N 28 E. 30 " "
 80.00 Let a post for the cor. to sec. 12 & 13. T. N^o
 10. N.R. N^o 2 N. from which a
 Sycamore 18 in. dia. bears S 10 E. 22 miles dist;
 Sugar 10 " " " N 84 W 30 " "
 Sandhill by Buck, Sugar, Oak, Hickory
 meeting good farming lands.

North On the E side of sec. 12 T. N^o 10. N.R. N^o
 2 N. On the true line

- 40.00 Let a post for the cor. to 1/4 sec. from which a
 Buck 18 in. dia. bears N 4 E. 17 miles dist; to
 do 24 " " " S 28 W 33 " "
 80.00 Let a post for the cor. to sec. 1 & 12. T. N^o 10 N.
 R. N^o 2 N. from which a
 Buck 12 in. dia. bears S 48 W. 27 miles dist; to
 do 5 " " " N 4 W. 20 " "
 Lands and timber the same as on the last mile

North On the E side of sec. N^o 1 T. N^o 10 N.R. N^o
 2 N. On the true line.

- 22.00 To a small Brook
 40.00 Let a post for the cor. to 1/4 sec. from which a
 Buck 9 in. dia. bears S 72 E. 26 miles dist; to
 do 9 " " " N 79 W 50 " "
 72.00 To a Brook 20 miles in. bears N.W.
 77.50 Enter section the Random line.
 80.00 Let a temp. post for the cor. to T^s 10 & 11 N.
 R. N^o 2 N.
 84.82 To the cor. of T^s 10 & 11 N.R. N^o 1 & 2 N.

T. N^o 18. N. R. N^o 17. 2^{da} Men. (Ind.)

East Subdivisions
East Bottom Sec. 30 & 31 T. N. 10. R. N. 1 W.
40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck 8 in. dia. brace N 69 W. 11 pike dist; to
the 10 n n n N 29 E. 15 n n
67.00 To a Brook 100 miles wide; Course N
80.00 Set a post for the cor to Sec. 29, 30, 31 & 32
from which a Hickory 11 in. dia. brace S 30 E 32 1/4
dist; to Sycamore 1/4 n n N 77 W 14
n Sand Buck, bottom mostly meadow
good for farming.

South On a Random line between Sec. 31, 32, T. 4. N.
10 R. 1. W.

30.00 To a Brook 100 miles wide; Course N.
35.00 " " " 100 " " " E.
40.00 Set a trumpet post for the cor. N. 1/4 sec.
70.00 To a Brook 100 miles wide; Course N.
79.83 Intersected the E. & N. line 65 miles East of
section cor. for 31.132.
This mile Back Bottom good for farming

North On the true line between Sep. 31. 132. T. N. 111.
N. R. N. 174.

39.91 Set the trap for the acc. dish; on the true
line for the cor. to 10 sec. From which a
Buck 4 in. dia. bore S 53 E 16 miles dish;
No 30 a a a N 27 E 13 a a
49.83 To the Post set for the cor. to 29. 31 31 32

East On a Random line between Sep. 29. 1832 T. No.
10 N.R. No 177.

4000 Set a temp. post for the cor. to 74 sec.
79.74 Intersect the N. & S. line 4 miles N of the
post set for the cor. to sec. 28, 29, 32, & 33.
West of Canada River as on the last mile

T. N^o 10 N. W. N^o 17. 2nd Mer. Ind.^e

East of hilly lands meadow, good for farming;
Timber. Birch, Sugar & Poplar.

West On a true line between Sep. 29. & 32

39.87 Set the temporary post at the corr. dist; on the true line for the cor. to $\frac{1}{4}$ sec. from which a
Buck 8 in. dia. bears S 86 E 32 miles dist; or
to 11 n n n N 60 W. 15 n n

79.74 To the Cor for Sep. 29. 30. 31. & 32.

North Between Sep. 29 & 30 T. N^o 10 N. W. N^o 17.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Ironwood 4 in. dia. bears N 11 W. 4 miles dist; or
Buck 10 n n n S 49 E 34 n n

70.00 To a Brook 15 miles wide; Course N.

80.00 Set a post for the cor. to Sep. 19, 20, 29. & 30.
from which a

Buck 9 in. dia. bears S 38 W. 3 miles dist; or
Oak 24 n n n N 63 E 14 n n
Lands hilly; Birch, Sugar, Oak &c.

East Between Sep. 19. & 30. T. N^o 10 N. W. N^o 17.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

79.30 Intersected the N. & S. line 26 miles E. of sec.
Cor. for 19. & 30.

East On a Meridian line between Sep. 20. & 29 T. N^o 10 N. W. N^o 17.

40.00 To a Brook 10 miles wide; Course S. W.

40.00 Set a temporary $\frac{1}{4}$ sec. post

79.96 Intersected the N. & S. line 21 miles N. of the
Sec. Cor.

East Between Sep. 21. & 28 T. N^o 10 N. W. N^o 17.

201 Intersected the N. Bonner's line of Meander's
Purchase for the cor. to Sep. 21. & 28. & set a post

T. N^o 10 N.R. N^o 1 W. 2nd Mer. Ind.

From which a
 Hick^y 7 in. dia. bears S 37 E. 26 miles dist;
 Dogwood 9 a a a N 61 W 27 a a

West On a true line between Sec^s 20 & 29 T. N^o 10
 N.R. N^o 1 W

39.98 Set the temporary post at the avor. dist on the
 true line for the cor. to $\frac{1}{4}$ sec. From which a
 Sugar 12 in. dia. bears S 5 W. 30 miles dist;
 Ironwood 3 a a a N 69 W. 4 a a

79.96 To the post set for the cor. to sec 19, 20, 29
 & 30.

North Between Sec^s 19 & 20. T. N^o 10 N.R. N^o
 1 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. From which a
 Buckeye 8 in. dia. bears N 28 E. 12 miles dist
 W. Y. Buck 6 a a a S 53 E. 15 a a

59.72 Intersected the N. Boundary line of H^o's Pur-
 chase. and set a post for the cor. to Sec^s
 19 & 20. From which a
 Buck 8 in. dia. bears N 37 E. 9 miles dist; to
 L^o 4 a a a S 39 W. 22 a a
 Sande Kelly; Timber Oak, Buck, Poplar,
 &c.

West On the true line between Sec^s 19 & 30 T. N^o 10.
 N. R. N^o 1 W

39.65 Set the temporary post at the avor. dist on the
 true line for the cor. to $\frac{1}{4}$ sec. From which a
 B. Ash 7 in. dia. bears N 10 W. 7 miles dist; to
 L^o 8 a a a S 7 E 11 a a

79.30 To the cor. of sec^s 19 & 30.

East Between Sec^s 18 & 19 T. N^o 10. N.R. N^o 1 W.

T. N^o 10. N.R. N^o 1 W. 2nd Mer. (Ind^a)

- 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 17 in. dia. bears S 82 W. 11 miles dist; & a
 Sugar 7 " " " N 13 W. 13 " "
- 52.20 Intersect the N. Boundary of Harrison's Purchase and set a post for the cor. to sec. 18. 119
 T. N^o 10. N.R. N^o 1 W. from which a
 Buck 15 in. dia. bears N 74 W. 13 miles dist; & a
 Do. 16 " " " N 65 E. 19 " "
 Sande Hilly meadling soil; Oak, Ash, Buck
 under, Poplar

Oct. 1st 1815.

- North Tipton Sec. 33. & 34 T. N^o 10 N.R. N^o 1 W.
- 40.00 Set a post for the cor. to 1/4 sec. from which a
 W. Oak 24 in. dia. bears S 56 W. 20 miles dist; & a
 Hick 5 " " " - 58 E. 19 " "
- 80.00 Set a post for the cor. to sec. 27, 28, 33, & 34 T.
 N^o 10. N.R. N^o 1 W. from which a
 Buck 6 in. dia. bears N 64 W. 2 miles dist; & a
 Do. 24 " " " S 9 E. 12 " "
 Sande Hilly meadling soil; Tipton Oak, Buck
 Poplar, Ash, &c.

East Tipton Sec. 27. & 34 T. N^o 10 N.R. N^o 1 W.

- 30.83 Intersect the N. Boundary of Harrison's Purchase and set a post for the cor. to sec. 27. & 34 from which
 an Elm 15 in. dia. bears S 33 E. 2 miles dist; & a
 Sugar 15 " " " N 53 W. 35 " "
 Sande soil timber &c same as on the last mile;

North Tipton Sec. 27. & 28 T. N^o 10. N.R. N^o 1 W.

- 22.54 Intersect the N. Boundary of Harrison's Purchase and set a post for the cor. to sec. 27. & 28
 T. N^o 10 N.R. N^o 1 W. from which a
 Buck 9 in. dia. bears S 64 W. 4 miles dist; & a
 Sugar 10 " " " S 54 W. 25 " "

T. N^o 10 N. R. N^o 17th 2nd Mer. (Ind.)

Same timber soil &c same as on the last mile

October 2nd 1815.

North Between Sec. 32. & 33. T. N^o 10. N. R. N^o 17th.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck 3 in. dia. bears N 69 W. 3 miles dist; &c
Do 14 " " " S 85 E. 21 " " "

49.00 To a Brook 25 miles; Course S. E.

80.00 Set a post for the cor. to Sec. 28, 29, 32, & 33.
from which a

Buck 18 in. dia. bears S 75 E. 7 miles dist; to
Ash 20 " " " N 9 W. 33 " " "

Same hilly muddling soil; Timber Oak, Ash
Buck. Poplar, &c

East On a Random line between Sec. 28. & 33. T. N^o 10.
N. R. N^o 17th.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

79.86 Intersect the N. & S. line 65 miles South of the
post set for the cor. to Sec. 27, 28, 33, & 34

Same soil, timber, &c same as on the last mile.

West On a true line between Sec. 28. & 33. T. N^o 10. N.
R. N^o 17th.

39.93 Set the temporary post at the a. r. c. dist; on the true
line for the cor. to $\frac{1}{4}$ sec. from which a

B. Oak 14 in. dia. bears N 69 E. 23 miles dist; &c

Buck 9 " " " N 76 W. 25 " " "

79.86 To the post set for the cor. to Sec. 28, 29, 32, & 33

North Between Sec. 28. & 29. T. N^o 10. N. R. N^o 17th.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a

Sugar 9 in. dia. bears N 72 E. — miles dist; &c

Do 2 $\frac{1}{2}$ " " " N 88 W. 11 " " "

80.00 Set a post for the cor. to Sec. 20, 21, 28, & 29. from which
a B. Oak 4 in. dia. bears East 10 miles dist; &c

T. N^o 10. N.R. N^o 177. 2nd Mer. (Ind^y)

Back 18 m. dia. bears N 35 47. 21 miles dist;
Land Hilly, muddling soil; Timber Oak, Ash, Buck

North Between Sec. 20. & 21. T. N^o 10. N.R. N^o 177.

1.40 Intersected the N. Boundary line of Harrison's Purchase
made at the spot for the cor. to sec. 20. & 21. from which
a Sugar 4 m. dia. bears S 89 E. 10 miles dist; 1 a
Sugar 3 m. n n N 77 77 21 n n
Land, soil, timber &c same as in the last mile.

North Between Sec. 34 & 35 T. N^o 10 N.R. N^o 177.

24 00 To a Brook 15 miles mile; corner S. E.

40.00 Set apart for the cor. to 34 sec. from which a
Back 6 m. dia. bears S 30 W. 12 miles dist; 1 a
Ho 8 n n n N 24 E. 13 n n

43.90 Intersected the N. Boundary line of Harrison's Purchase
made at a spot for the cor. to sec. 34 & 35 T. N^o 10
N.R. N^o 177. from which a

W. Oak 24 m. dia. bears S 28 77. 19 miles dist; 1 a
Hack 7 14 n n n N 20 W. 13 n n

Surveyed by
Wm. Harris Sec.

Subdivisions

Of T. N^o 10. N.R. N^o 177. North of the N. 43.9
line of Harrison's Purchase.

North Between Sec. 19. & 20. T. N^o 10 N.R. N^o 177.

59.72 Originally Surveyed to the N.E. Boundary of Harrison
Purchase line extended

67.64 To a Back 19 m. dia. bears n. n. the line.

80.50 Set apart for the cor. to sec. 17. 18. 19. & 20. T. N^o 10
N.R. N^o 177. from which a

Sugar 4 m. dia. bears S 20 W. 10 miles dist; 1 a
Sugar 4 n n n N 50 E. 11 n n

Broken 2nd rate land; Timber W. Oak, Ash, Sugar
oak &c No Spruce &c.

T. N^o 10. N. R. N^o 1 W. 2nd & 3rd Mer. (Ind.)

West On a Random line between Jul. 18. & 19. T. N^o 10. N. R. N^o 1 W.

27.31 To a point 49 miles N. of the first in the Old
Boundary; Sands broken 2nd & 3rd rate;
Timber W Oak, Buck, Ash; & w. y. Spruce, &c.

East Corrected between Jul. 18. & 19. T. N^o 10. N. R. N^o 1 W.

15.15 To a Buck 19 m. dist. Stands in the line

27.31 To the cor. of Jul. 18. & 19.

North Between Jul. 17. & 18. T. N^o 10. N. R. N^o 1 W.

22.28 To a Hickory 22 m. dist. Stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a
Hornbeam 3 m. dist. bears N 43 E. 8 miles dist; & a
Logwood 4 " " " " S 67 W. 18 " "

59.65 To a W Oak 22 m. dist. Stands in the line

65.00 " " Brook 20 hundred rods; course S. S. W

80.00 Set a post for the cor. to Jul. 7. 8. 17. & 18. from which
Sage 8 m. dist. bears N 41 W. 7 miles dist; & a
Buck 17 " " " " S 47 E 14 " "
Broken 3rd rate; Timber Buck, W Oak, B.
Oak, Hickory & w. y. Logwood Ironwood, Spruce

West Between Jul. 7. & 18. On a Random line T. N^o
10. N. R. N^o 1 W.

40.50 Set a temporary post for the cor. to 1/4 sec.

79.50 Intersect the N. Boundary of T. N^o 10. N. R. N^o
1 W. 10. miles N. of the post set for the cor. to Jul.
12 & 13. T. N^o 10. N. R. N^o 2 W. Broken 3rd rate
Sands; Timber Hickory, Buck, W Oak, Ash, & w.
y. Sassafras, Hickory, Oak, B. pine.

East Corrected between Jul. 7. & 18. T. N^o 10. N. R. N^o
1 W.

14.07 To a Hickory 22 m. dist. Stands in the line.

39.75 Set a post (temporary) at the aver. dist; in the true

T. N^o 10. N. W. N^o 1 W. 2nd & 3rd Mer. (Ind. a)

- Line for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 26 in. dia. bears N57 W. 16 miles dist; 10
 Do 16 " " " S10 E 19 " "
 53.30 To a Hick^y 14 in. dia. Stands in the line.
 79.50 To the post set for the cor. to sec. 7. 8. 17. & 18.

- North Between Sec. 7 & 8. T. N^o 10. N. W. N^o 1 W.
 24.00 To a Sugar 16 in. dia. Stands in the line.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 4 in. dia. bears N24 - 10 miles dist; 10
 W. Oak 17 " " " S78 E. 14 " "
 61.11 To a W. Oak 27 in. dia. Stands in the line.
 80.00 Set a post for the cor. to sec. 5. 6. 7. 8. from which a
 Buck 5 in. dia. bears S56 W. 18 miles dist; 10
 Do 6 " " " S87 E. 16 " "
 Broken 3rd rate land; Timber B. Oak, W. Oak,
 Buck, Hick^y; n. g. Logwoods, Sassafras, Hick^y,
 Hackberry &c.

- West Between Sec. 6 & 7 On a Random line. T. N^o 10.
 N. W. N^o 1 W.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 79.89 Intersected the N. E. corner of T. N^o 10. N. W. N^o 1 W.
 4 miles N of the post set for the cor. to sec. 1 & 2
 T. N^o 10. N. W. N^o 2 W. Broken 3rd rate land.
 Timber W. Oak, B. Oak, Buck, Hick^y &c; n. g.
 Sassafras, Hick^y, Logwoods, Birches &c
 Sec. 4. 1819

- East On a true line between Sec. 6 & 7. T. N^o 10. N. W.
 21.14 To a Hick^y 19 in. dia. bears in the line.
 39.94 Set the temporary post at the corner dist; on the true line
 for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 14 in. dia. bears N64 W. 19 miles dist; 10
 Do 4 " " " S57 E. 16 " "
 46.99 To a W. Oak, 30 in. dia. Stands in the line.

T. N^o 10 N.R. N^o 17. 2nd Mer. (Ind.)

79.89 To the first pt for the cor. to Sec. 5. 6. 7. & 8.

North Between Sec. 5 & 6. T. N^o 10. N.R. N^o 17.
 2174 To a Sp. Oak 54 in. dia. stands in the river.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Logwood 6 in. dia. bears N 47 W. 11 miles dist;
 do 5 in. " " N 23 E. 18 in. "
 60.68 To a Buck 17 in. dia. bears in the river.
 83.00 Intersected the N.E. corner of T. N^o 10. N.R. N^o 17.
 1221 miles East of the first pt for the cor. to sec.
 31.132 T. N^o 11. N.R. N^o 17. and set a post from
 which a W. Oak 34 in. dia. bears S 57 W. $\frac{1}{2}$ mile dist;
 and a Buck 18 in. " " N 41 E. 27 in. "
 Broken 2nd & 3rd rate land; Timber W. Oak,
 Buck, Sugar, Sp. Oak, Hickory, Poplar, ash &
 W. Spruce, Logwood, ash, Hickory &c.

North Between Sec. 20. & 21. T. N^o 10. N.R. N^o 17.
 1.40 Originally surveyed to the N.E. corner of
 Harrison Purchase. See Extra
 20.35 To a Hickory 19 in. dia. stands in the river.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Sugar 18 in. dia. bears N 30 W. 10 miles dist; &
 Buck 20 in. " " N 87 E. 31 in. "
 41.55 To a Brook 10 miles wide; Runs S.W.
 64.00 To an Elm 24 in. dia. stands in the river.
 86.00 Set a post for the cor. to Sec. 16. 17. 20. & 21. from
 which a
 Buck 4 in. dia. stands N 88 W. 27 miles dist; &
 do 17 in. " " N 73 E. 12 in. "
 Broken 3rd rate land; Timber W. Oak, W. Oak,
 Buck Hickory &c. W. Spruce, Logwood, Ironwood &
 Hickory, Birch &c.

West Between Sec. 17. & 20 On a Random line T. N^o
 10 N.R. N^o 17. 2nd Mer. Indiana
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec.

T. No 10 N.R. No 1 W. 2nd Mer. Ind.

79.55 Intersect the W. 7th boundary 18 miles South of the first set
for the cor. to sec. 17. 18. 19. 20. T. No 10. N.R. No 1 W.
Broken 2nd & 3rd rate; Timber W. Oak, Timber
Buckeye, Ash, Sycamore, & Ironwood. &c.

East Corner Between Sec. 17. & 20. T. No 10 N.R. No 1 W.
25.00 To a Buck 18 in. dia. stands in the line.
39.77 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Logwood 5 in. dia. bears S 43 E. 21 miles dist; to
Buck 22 " " " N 57 E. 28 " "
57.27 To a Hickory 18 in. dia. stands in the line
79.55 To the first set for the cor. to sec. 16. 17. 20. & 21.

North Between Sec. 16. & 17. T. No 10 N.R. No 1 W.
22.38 To a W. Oak 28 in. dia. stands in the line
40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck 7 in. dia. bears N 41 W. 20 miles dist; to
Do 16 " " " N 71 E. 22 " "
57.00 To a Sugar. 13 in. dia. stands in the line.
71.00 " " " Brook 12 miles wide; Corner W. S. W.
80.00 Set a post for the cor. to sec. 8. 9. 16. 17. from which a
Maple 16 in. dia. bears N 39 W. 18 miles dist; to
W. Oak 20 " " " S 38 E. 26 " "
Broken 3rd rate lands; Timber W. Oak, & B. Oak
Buck, Sugar, Hickory &c; W. Sycamore, Ironwood
& Hickory & Oak &c

West Between Sec. 8 & 17. On a Random line T. No 10 N.
R. No 1 W.
40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
73.20 To a Brook 10 miles wide; Corner S. E.
79.53 Intersect the N. S. line 8 miles South of the first
set for the cor. to sec. 7. 8. 17. & 18. Sec. 2nd rate
lands. Timber W. Oak, Buck, Ash, Sugar, &c.
W. Sycamore & Maple. &c.

I N^o 10 M.R. N^o 1 W^d 2ndo Mar. (Ind.)

East On the true line Between Sec. 8. & 17. T. N. 10. R. N. 17.

17.33 To a Bush C. in. in a Stand in the river

39.76 Set the tripod first at the aver. dist. on the true line
for the cor. to 74 sec. from which a

Norm beam 3 mi. dia. base 134 W. 11 miles dist; 80

Buck 4 n n N46E. 16 n n

5793 Toxt Buck 18 in. dia. Stands on the rim.

79.53 To the corr. of Dec. 8. 9. 16. 17

North Britain Aug. 8 & 9. T. N. 10. N. R. N. 1 W.

2046 To a 4. Oak 19 in. dia stands in the tree.

40.00 Got a post fr the co. to pers from which a

Back 2 m. diam. base N 32 E. 14 inches deep; & 10

Norman In n n 16474 n n

441.44 To a Brook 6 miles wide; Green Mt.

58.50 a a Sp. Oak 19 in. dia. Stands in the vine.

80.00 Set apart for the car. to Sect. 4. 5. 8. 9. from which

a Beek 22 in. dia. bore 15/2 ft. 7 inches dia; & a

Aug 18 n n n N44E21 n n

Sunder broken 3rd rate; Tintin N. & B Oak.

Heick 7, Buch, Angew. d. N. 9 Organon, Heick 7

Granbury Is. Dec. 5th 1819.

Wash Between Dec. 5. 18 On a Random line T. No 10
N.R. No 17.

40.00 Let a trump. & just for the car. to ju. su.

79.5) Intersected the N.S. line 28 miles North of the post.
Set for the cor. to sec. 5. 6. 7. 18. Sands broken &

East Onatrua line between Secs 5 & 8. T. N. 10. R. 17.

12.00 South. Oak 26 in. dia. Stands in the river.

39.79 Set a post for the cor. to $\frac{1}{4}$ sec. at the aver. dist. on the

T. N^o 10 N.R. N^o 17th. 2nd & 3rd Run (Ind.?)

true line. From which an
 Ironwood 6 in. dia. bears S22W. 26. links dist; & a
 Sugar 13 " " " N10E. 29 " "
 59.81 To a Poplar 32 in dia. stands in the line.
 79.59 To the first set for the cor. to sec. 4 5. 8. 9.

North Between Sec. 4 & 5. T. N^o 10 N.R. N^o 17th.
 20.70 To a Buck 16 in. dia. stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 21 in. dia. bears N24W. 5 links dist; & an
 Ash 3 " " " S11E. 40 " "
 64.57 To a Spr. Oak 22 in. dia. stands in the line.
 81.22 Intersected the N. Boundary of T. N^o 10 N.R. N^o 17th. 13 ch. 25 links East of the first set for the cor. to
 32, 33. T. N^o 11 N.R. N^o 17th. & set a post for the
 cor. to sec. 4 & 5. from which a
 Logwood 4 in. dia. stands S35E. 7 links dist; &
 Hick^y 10 " " " S72W. 17 " "
 Land broken 2nd & 3rd rate; Land W. Oak,
 W Oak, Buck, Poplar, Sugar, Hick^y, Ash, &c
 & 9 Logwood, Spruce, Hick^y, Oak, &c
 Dec^r 7th 1819.

North Between Sec. 27, 28. T. N^o 10 N.R. N^o 17th.
 22.54 Originally surveyed by the N. E. Boundary of Har-
 nemo Church. Line Extended
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 4 in. dia bears N77E. 5 links dist; & a
 Do 14 " " " S51W. 16 " "
 63.10 To a Shell bark Hick^y 18 in. dia. stands in the line
 80.00 Set a post for the cor. to sec. 26, 27, 28. from which
 a W. Oak 10 in. dia bears N50W. 8 links dist; & a
 W Oak 14 " " " S18E. 19 " "
 Land broken 3rd rate; Timber W Oak, W Oak
 Buck, Hick^y &c Sassafras Brins; &c.

T. N^o 10. N.R. N^o 177. 2nd Mer. (Ind^o)

West Between Sect. 21 & 28. On a Random line. T. N^o 10
N.R. N^o 177.

40.00 Set a temporary post for the cor. to 1/4 sec.

77.13 To a point 10 links S of the post set on the Old
Boundary line; Sunde Broken 2nd & 3rd rate
Timber W. Oak, Ash, Poplar, Buck, Sugar, &
W. Spruce, Sassafras &c.

East Corrected the line between Sect. 21 & 28 T. N^o 10.
N.R. N^o 177.

2.01 Originally Surveyed to the Old Boundary line
Line. Extended

21.74 To a Buck 14 in. dia. Stands in the line.

39.56 Set the post (temp.) at the corner in the true
line for the cor. to 1/4 sec. from which a
Buck 16 in. dia. bears N 13 E. 7 links dist; & a
S. Oak 33 in. " " S 75 E. 20 in. "

64.85 To a Buck 24 in. dia. Stands in the line.

79.13 To the post set for the cor. to Sect. 20, 21, 28 & 29

North Between Sect. 21 & 22 T. N^o 10. N.R. N^o 177.

22.09 To a Sugar 19 in. dia. Stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 13 in. dia. bears N 34 E. 21 links dist; & a
Do 6 in. " " S 44 W. 25 in. "

67.50 To a W. Oak 18 in. dia. Stands in the line.

80.00 Set a post for the cor. to Sect. 15, 16, 21, 22 from
which a Log wood 8 in. dia. bears N 88 W. 8 links dist;
and a Do 5 in. " " N 16 E 17 in. "
Sunde broken 2nd & 3rd rate; Timber W & W Oak
Buck, Hickory & Sugar tree; W. Spruce, Maple, White-
oak, Birch & Vine &c.

West Between Sect. 16 & 21 On a Random line T. N^o 10.
N.R. N^o 177.

40.00 Set a temporary post for the cor. to 1/4 sec.

T. No 10 N.R. No 177. 2nd Mer. Ind.^a

- 62.00 To a Brook 10 miles wide; Course N. N.W.
 79.28 Intersected the N & S line 34 miles N. of the Post set
 for the cor. to Sep. 16. 17. 20. & 21. Broken &
 3rd rate lands; Timber W. Oak, B. Oak, Hick,
 &c. w/ Sassafras Dogwoods, &c.

- East Corrected between Sep. 16 & 21. T. No 10. N.R. No 1
 77. 2nd Mer. Ind.^a 85
 23.74 To a W Oak 28 in. dia stands on the line.
 39.64 Set the temporary Post at the corner east on the true line
 for the cor. to 1/4 sec. from which a
 Buck 18 in. dia bears N 55 E 28 miles dist; & a
 Sugar 16 " " " S 49 W. 14 " "
 60.78 To a Spruce 20 in. dia stands on the line.
 79.28 To the Post set for the cor. to Sep. 15. 16. 21. 22.

- North Between Sep. 15. & 16. T. No 10. N.R. No 177.
 28.46 To a Buck 8 in dia stands on the line.
 40.00 Set a Post for the cor. to 1/4 sec. from which a
 Sugar 13 in. dia bears N 56 E. 14 miles dist; & a
 Do 14 " " " N 70 W. 25 " "
 66.31 To a Buck 19 in dia. stands on the line.
 80.00 Set a Post for the cor. to Sep. 9. 10. 15. 16. from
 which a Buck 26 in. dia stands N 32 E. 13 miles dist;
 and a Do 17 " " " S 84 W. 27 " "
 Lands Broken 3rd rate; Timber Buck W. Oak
 B. Oak, Hick, &c. w/ Sassafras Dogwoods,
 Dogwoods, Prunes & vines, &c.

- West On a Random line between Sep. 9. & 16. T. No 10.
 N.R. No 177
 16.50 To a Brook 10 miles wide; Course N. S.W.
 40.00 Set a temporary Post for the cor. to 1/4 sec
 79.16 Intersected the N & S line 28 miles N. of the Post
 set for the cor. to Sep. 8. 9. 16. & 17. Lands broken
 3rd rate; Timber W. Oak, B. Oak, Hick, & Buck

T. N^o 10. N.R. N^o 17. 2nd Mer. (Ind^a)
 n. y. Dogwoods, Sassafras, Hickory & Pinus. &c.

- East On a true line between Sect. 9 & 16. T. N^o 10. N. R. N^o 17.
 24.16 To a Hickory 14 in. dia. Stands in the line.
 39.58 Set the temporary post at the avor. dist. on the true line for the cor. to 14 sec. from which a
 W Oak 3 in. dia. stands N 69 W. 13 links dist. to
 Dogwoods 4 " " " " N 22 E 16 " " "
 59.10 To a Poplar 18 in. dia. stands in the line.
 79.16 To the post set for the cor. to sec. 9. 10. 15. 16.
 Dec. 8th 1819.

- North Between Sect. 9 & 11. T. N^o 10. N. R. N^o 17.
 16.25 To a W. Oak 14 in. dia. stands in the line
 40.00 Set a post for the cor. to 14 sec. from which a
 Hickory 16 in. dia. bears N 26 W. 18 links dist.; to
 Beech 19 " " " " S 36 E. 28 " " "
 64.28 To a Beech 18 in. dia. stands in the line.
 80.00 Set a post for the cor. to Sect. 3. 4. 9. 10. from which
 a Dogwoods 4 in. dia. stands N 23 W. 5 links dist;
 to a Do 6 " " " " N 44 E. 31 " " "
 Broken 3rd rate lands; Timber W. Oak, Beech,
 W Oak, Hickory, Sugar, &c. (N. y.) Sassafras,
 Dogwoods, Hickory, 73 acres &c.

- West On a Random line between Sect. 4 & 9. T. N^o 10.
 N.R. N^o 17.
 40.00 Set a temporary post for the cor. to 14 sec.
 79.46 Intersected the N & S line 19 links S of the post.
 Set for the cor. to Sect. 4. 5. 8. 9. Lands broken &
 3rd rate W. Oak, W Oak, Beech, Hickory,
 Sugar, &c. Timber; n. y. Dogwoods, Hickory ash,
 Pinus &c.

East Between Sect. 4 & 9. On the true line. T. N^o 10. N.

T. N^o 10. N.R. N^o 17. 2nd Mer. (S. A. 9)

N. N^o 17.

- 19.62 To a Sugar 16 in dia. stands in the line.
 39.73 Set a post for the cor. to 14 sec. at the aver. dist; on the
 true line from which a
 Hick 12 in dia. bears S 76 E. 24 links dist; & a
 Buck 14 " " " N 6 E. 50 " "
 52.56 To a Buck 17 in dia. stands in the line.
 79.46 To the post set for the cor. to sec. 3, 4, 9, & 10.

North Bottom Lot 3 & 4 T. N^o 10. N.R. N^o 17.

- 22.58 To a Hick 10 in dia. stands in the line.
 40.00 Set a post for the cor. to 10 sec. from which a
 Logwood 4 in dia. bears S 88 W. 15 links dist; & a
 W. Oak 17 " " " S 83 E. 22 " "
 59.00 To a W. Oak 19 in dia. stands in the line.
 64.08 " " Brook 15 links wide; corner N.W.
 79.60 Intersected the N.E. corner of T. N^o 10. N.R. N^o
 17 13 ch. 54 links East of the post set for the
 cor. to sec. 33 & 34 T. N^o 11. N.R. N^o 17. and set
 a post for the cor. to sec. 3 & 4. from which a
 Oak 18 in dia. bears N 26 W. 9 links dist; & a
 Buck 4 " " " S 55 E. 14 " "
 Lands the 1st 60 ch. broken 3rd rate; The bal-
 ance 2nd rate land & forest; Timber Buck, W. Oak,
 Elm, Hick, Sugar, & W. Logwood, Hazel,
 & Ironwood;

North Bottom Lot 34 & 35. T. N^o 10. N.R. N^o 17.

- 43.90 Originally surveyed to the N.E. corner of
 Haines's Purchase; line extended
 62.28 To a Sp Oak 32 in dia. stands in the line.
 66.94 To a Brook 12 links wide; corner S.E.
 75.00 " " " 15 " " " S.E.
 80.00 Set a post for the cor. to sec. 26, 27, 34, & 35
 from which a Buck 16 in dia bears N 85 W 17 links
 dist; and a Do 14 " " " N 86 E 14 "

T. N^o 10. N.R. N^o 1 W. 2nd Mer. (Ind. ^a)

distant; Sept 2nd Rate lands. Timber Ash
Walnut, Sugar, Beech &c. W^g Spruce, &c.

West Onaquadam line between Sep. 27. 1834 T. N^o 10.
N.R. N^o 1 W.

4.30 To a Brook 15 miles wide; course S. E.

21.64 " " " 12 " " " S E.

40.00 Set a temporary post for the cor. to 1/4 sec.

49.81 To a point 30 miles N. of the post set on the
N.E. Boundary of Harrison's Purchase.

Sandy pastured 2nd rate; Past 1st Birch
3rd rate Sandy; Timber Beech, Hickory, Ash,
Oak, &c. W^g Spruce, Ironwoods, Logwoods. Ashes

East Corrected between Sep. 27. 1834. T. N^o 10 N.R. N^o
1 W.

30.83 Originally Surveyed to the Old Indian boundary
or the N.E. Boundary of Harrison's Purchase.
Line extended.

40.34 Set the temporary post at the aver. dist. on the true
line for the cor. to 1/4 sec. from which on
Ironwood 5 m. dia. bears N 52 E. of the dist; to

Logwood 5 " " " S 32 W 13 " "

62.03 To a Locust 18 m. dia. stands in the line.

81.64 To the post set for the cor. to Sep. 26. 27. 33. 1834

North Between Sep. 26 & 27. T. N^o 10. N.R. N^o 1 W.

1.80 To a Brook 15 miles wide; course N. & W.

5.15 " " " 15 " " " S E.

17.62 " " " 15 " " " W.

19.32 To a Beech 16 m. dia. stands in the line.

28.50 To the same Brook 15 miles wide; course S. E.

40.00 Set a post for the cor. to 1/4 sec. from which a
Beech 4 m. dia. bears N 14 W. 19 miles dist; to

" 33. " " " S 68 E. 18 " "

56.62 To a W. Oak. 20 m. dia. stands in the line.

J. N^o 10. N.R. N^o 17. 2nd Mer. (Ind.^a)

80.00 Set a post for the cor. to sec. 22, 23, 26, 27. from which a Tree 17 in. dia. bears N 21 W. 29 the dish; and a B. Gum 28 " " " S 26 E. 5 " " Sande 1st $\frac{1}{2}$ level 2nd rate; 2nd $\frac{1}{2}$ side 1st - 3rd rate; Timber Beech, Ash, Sugar & Hickory &c. w. g. Spruce, ash, Ironwoods, Sassafras, Pines, &c.

West On a Random line between sec. 22, 27 J. N^o 10. N.R. N^o 17.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

80.52 Intersected the N. & S. line 20 miles N of the post set for the cor. to sec. 21, 22, 27, 28 Sande broken 3rd rate; Timber W. Oak, B Oak, Beech, Hickory, &c. w. g. Ironwoods Pines &c.

East Corrected Between sec. 22, 27. J. N^o 10. N.R. N^o 17. 2nd Mer.

12.00 To a Hickory 16 in. dia. stands in the line.

40.26 Set the temporary post at the cor. east; on the true line for the cor. to $\frac{1}{4}$ sec. from which a Hickory 18 in. dia. bears N 88 W. 9 miles dish; & a Maple 17 " " " S 8 E. 22 " " "

58.54 To a Hackberry 19 in. dia. stands in the line.

80.52 To the post set for the cor. to sec. 22, 23, 26, 27.

North Between sec. 22, 23. J. N^o 10. N.R. N^o 17.

19.78 To a B Oak 28 in. dia. stands in the line.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a Tree 22 in. dia. bears N 74 E. 19 miles dish; & a Sugar 8 " " " S 46 W. 18 " " "

54.58 To a Poplar 48 in. dia. stands in the line.

80.00 Set a post for the cor. to sec. 14, 15, 22, 23. from which a W. Oak. 15 in. dia. bears N 77 W. 17 the dish; and a Tree 8 " " " N 68 E. 13 " " " Sande broken 3rd rate; Timber W. Oak, B Oak,

T. N^o 10. N.R. N^o 17. 2nd Mer. (Ind.)

Beck, Sp. Oak, Hickory &c. w^g Ironwoods
Vine & Brins. &c.

West Between Sec. 15. & 22. T. N^o 10. N.R. N^o 17.
On a Random.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

80.42 Entered the N. & S line 23. like N. of the post
set for the cor. to Sec. 15. 16. 21. & 22. Found two-
ken 3rd rate; Timber N. Oak, T.B. Oak, & Beck
Hickory &c; w^g Dogwoods, Ash, &c.

East Corrected Between Sec. 15. & 22. T. N^o 10 N.

21.76 To a Walnut 18 in. dia. stands in the line.

40.21 Set the temporary post at the aver. dist; on the true
line for the cor. to $\frac{1}{4}$ sec. from which

Beck, 16 in. dia. bears S 32 W. 13 links dist; to

Sugar 16 " " " N 10 E. 15 " "

69.17 To a N. Oak 22 in. dia. stands in the line.

81.42 To the post set for the cor. to Sec. 14. 15. 22. 23.

North Between Sec. 14. & 15. T. N^o 10. N.R. N^o 17.

20.00 To a N. Oak, 36 in. dia. stands in the line.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a

Beck 14 in. dia. bears N 43 W. 58 links dist; to

Do 8 " " " S 65 E. 27 " "

59.50 To a Beck 18 in. dia. stands in the line.

80.00 Set a post for the cor. to Sec. 10. 11. 14. & 15. from

which a Beck 5 in. dia. bears N 36 W. 5 the dist

and a Do 4 " " " S 41 W. 19 " "

Found Broken 2nd & 3rd rate; Timber Beck
Sugar, Poplar, N. B. Oak, Hickory &c. w^g Spruce
Sassafras. &c. Dec. 10. 1819.

West Between Sec. 10. & 15 On a Random line T. N^o 10
N.R. N^o 17.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

T. N^o 10. N.R. N^o 177. 2nd Mer. (Ind^o)

80.48 Intersected the N. & S. line 42 miles N. of the post set for the cor. to Sec. 9. 10. 15. & 16. Lands broken Part 1st & Part 2nd Rate. Timber Hick^o Beech, Sugar, W. Oak, Y. Oak, Poplar, Ash & N.Y. Spruce, Ironwoods, &c.

East Corrected the line between Sec. 10. & 15 T. N^o 10 N. R. N^o 177.

17.00 To a Beech 18 in. dia. Stands in the line.

40.24 Set the temporary post at the aver. dist; on the true line for the cor. to 1/4 Sec. from which a Log woods 4 in. dia. bears N 46 W. 28 miles dist; to
Beech 5 " " " S 45 E 25 " "

50.43 To Sugar 16 in. dia. Stands in the line.

80.48 To the first set for the cor. to Sec. 10. 11. 14. & 15.

North Between Sec. 10. & 11 T. N^o 10. N.R. N^o 177.

20.87 To a Y. Oak, 32 in. dia. Stands in the line.

40.00 Set a post for the cor. to 1/4 Sec. from which a Beech 12 in. dia. bears N 42 E. 10 miles dist; to
Hick^o 14 " " " S 24 E 17 " "

71.64 To a Log woods 5 in. dia. Stands in the line.

80.00 Set a post for the cor. to Sec. 2, 3. 10. 11. from which a Beech 16 in. dia. bears N 68 W. 16 miles dist; under a Loc 6 " " " N 83 E. 26 " "
Lands broken 3rd rate; Timber Beech, W. & Y. Oak, & Hick^o &c. N.Y. Log woods, Ironwoods, & Pine.

West Between Sec. 3. & 10. On a Random line T. N^o 10 N.R. N^o 177.

40.00 Set a temporary post for the cor. to 1/4 Sec.

80.00 Intersected the N. & S. line 14 miles N. of the post set for the cor. to Sec. 3. 4. 9. 10.

Lands Broken 3rd rate; Timber W. & Y. Oak, Beech, Hick^o Sugar &c. N.Y. Sassafras, Log.

T. N^o 10. N.R. N^o 177. 2nd Mer. (Ind^a.)
 mode Hick^y, Ironwoods, Brinslc.

East Corrected the line between Sec. 3 & 10. T. N^o 10.
 N.R. N^o 177.

- 18.39 To a Hick^y 14 in. dia. Stands in the line
 40.32^p Set apart (temp^y) at the aver. dist; in the true
 line for the cor. to 14 sec. from which a
 Yew 13 in. dia. bears N 53 W. 28 links dist; to a
 Hick^y 6 " " " S. 7 E. 18 " "
 56.63 To a Sugar 17 in. dia. Stands in the line.
 80.04 To the first set for the cor. to Sec. 2, 3, 10, 11.

North Between Sec. 2 & 3. T. N^o 10. N.R. N^o 177.

- 19.48 To a W. Oak 16 in. dia. Stands in the line.
 40.00 Set a post for the cor. to Sec. 4 from which a
 Yew 18 in. dia. bears S 33 W. 8 links dist; to a
 Do 14 " " " N 76 E. 24 " "
 43.58 To a Brook 10 links wide; comes N. N. W.
 61.28 To a Sugar 14 in. dia. Stands in the line.
 78.03 Intersected the N. B. road of T. N^o 10. N.R.
 N^o 177. 13 ch^s. 21 links East of the post set for
 cor. to Sec. 34 & 35. T. N^o 11 N.R. N^o 177.
 and set a post for the cor. to Sec. 2 & 3. from
 which a W. Oak, 4 in. dia. bears S 51 E. 14 links
 dist; to a Yew 7 " " " N 80 W. 15 "
 — Second Grant level 2nd rate; Part broken
 3rd rate; Timber W & B. Oak, Yew, Ash,
 Sugar, Hick^y &c. W. Y. Hick^y Log woods,
 Ironwoods, Brinslc. Dec. 11th 1819.

North Between Sec. 35 & 36. T. N^o 10. N.R. N^o 177.

- 13.00 To a Brook 75 links wide; comes W. S. W.
 20.15 " the S. 10s 75 " " " S. S. E.
 20.15 A Yew 14 in. dia. Stands in the line on the Bk.
 of said stream
 28.00 Left the Brook & entered a Windfall

T. N^o 10. N. R. N^o 177. 2nd Mer. (Ind.)

40.00 Set a post for the cor. to 1/4 sec. from which a
 Tree 3 in. dia. bears N 73 W. 11 miles dist; & a
 do 18 " " " S 63 E. 7 " " & left
 min fall

61.12 To a Poplar 36 in. dia. stands in the line.

80.00 Set a post for the cor. to Sect 25, 26, 35, & 36.
 from which a Tree 3 in. dia. stands N 55 W. 5
 the dist; & a do 14 " " " S 61 E. 25
 " " Sand spout level 2nd rate: Part Broken
 3rd rate; Timber Tree, W. Oak, Poplar, Hickory
 & Sugar. W. Spruce, Dogwood, Birch & Vines etc.

West Between Sect 26. & 35 T. N^o 10. N. R. N^o 177.
 On a random line.

26.34 To a Brook 10 miles wide; Corner S. W.

40.00 Set a temporary post for the cor. to 1/4 sec.

70.58 Intersect the N. & S. line 12 miles N. of the post
 set for the cor. to Sect 26, 27, 34 & 35.
 Sand spout level, Part Broken 2nd & 3rd rate
 Timber Tree, W. Oak, Poplar, Ash, Hickory
 Sugar & c. W. Spruce, Dogwood, Ash, Ironwood,
 Birch etc.

East Corrected the line between Sect 26. & 35. T. N^o 10.
 N. R. N^o 177.

17.64 To a Tree 18 in. dia. stands in the line.

35.29 Set the temporary post at the aver dist on the true
 line for the cor. to 1/4 sec. from which a
 Tree 15 in. dia. stands N 72 E. 14 miles dist; &
 do 18 " " " S 4 E. 22 " "

46.14 To a Poplar 36 in. dia. stands in the line.

70.58 To the post set for the cor. to Sect 25, 26, 35, & 36.

East On a true line between Sect 25, & 36. T. N^o 10. N.
 R. N^o 177.

19.88 To a Tree 17 in. dia. stands in the line.

T. N^o 10. N.R. N^o 17. 2nd Mer. (Ind.)

- 40.00 Set a post for the cor. to 14 sec. from which a
Log wood 3 in. dia. stands S 27 E. 11 miles dist;
+ a Buck 18 in. ~ ~ N 18 W 16 in. ~
- 55.00 To a Brook 75 miles wide; Course N. W.
- 60.10 ~ ~ Buck 14 in. dia. stands on the line.
- 75.40 Enter a Pond.
- 78.74 Intersected the E. Range line 280. miles N. of the
post set for the cor. to sec. 25, ^{set apart} 26, from which a
Ash 14 in. dia. bears S 29 W. 33 miles dist; + a
Water Oak 3 in. ~ ~ N 85 W. 14 in. ~
- Land partly level; Part broken 2nd & 3rd rate.
Timber Buck, Elm, Maple, W Oak, Ash, &c.
N.Y. Spruce, Pines, Shornac. Maple &c.

- North Between Sec. 25. & 26. T. N^o 10. N.R. N^o 17.
- 18.65 To a Buck 19 in. dia. stands in the line.
- 40.00 Set a post for the cor. to 14 sec. from which a
Buck 15 in. dia. bears N 19 W. 28 miles dist; + a
Do 6 in. ~ ~ S 81 E. 29 in. ~
- 58.66 To a Hick 7 1/2 in. dia. stands in the line.
- 80.00 Set a post for the cor. to sec. 23, 24, 25, 26.
from which a W. Oak 23 in. dia. bears S 51 W 8
miles dist; + a Buck 16 in. ~ ~ N 49 E 26
~ ~ Land broken 3rd rate; Timber W. Oak
W. Oak, Buck, Hick &c. N.Y. Ironwoods, Log-
wood & Sassafras. &c.

West On a Random line between Sec. 23. & 26. T. N^o 10.
N.R. N^o 17.

- 40.00 Set a temporary post for the cor. to 14 sec. of
- 46.20 To a Brook 10 miles wide; Course S. W.
- 70.65 Intersected the N. & S. line 18 miles E. of the post.
Set for the cor. to sec. 22, 23, 24, & 27. T. N^o 10.
N.R. N^o 17. Land broken 3rd rate; Timber
N. & W. Oak, Buck, Hick, &c. N.Y. Hick,
Oak, Sassafras, Ironwoods, Hackberry, birch

T. N^o 10. N.W. N^o 17. 2nd Mer. (Ind.?)

- 16.43 To a Maple, 14 in. dia. Stands in the line.
 35.32 Set the timber post at the avor. dish; on the true line for the cor. to 1/4 sec. From which a
 W. Oak, 23 in. dia. bears N 68. 11 miles dish; to
 W. Oak 16 " " " S 80 E. 26 " "
 50.24 To a W. Oak 16 in. dia. Stands in the line.
 70.65 To the post set for the cor. to lat. 22, 23, 26, 27.

- East Between Lat. 24. & 25 T. N^o 10. N.W. N^o 17
 20.48 To a W. Oak 22 in. dia. Stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 18 in. dia. bears N 55 E. 13 miles dish; to
 Ho 13 " " " S 49 E. 16 " "
 58.90 To a Buck 19 in. dia. Stands in the line.
 79.00 Intersected the E Range line 241 miles N of the
 post set for the cor. to lat. 24 & 25. & set a post
 for the cor. to lat 24 & 25. From which a
 Logwood 4 in. dia. bears S 31 E. 17 miles dish; to
 Buck 5 " " " N 63 W 11 " "
 Sande point level, & point broken 2nd & 3rd
 rate. Timber W. & B. Oak, Buck, Hickory, Ash,
 & c. & c. Ironwoods, Logwoods, Hickory, Pine
 & c. Dec. 13. 1819.

- North Between Lat. 23. & 24 T. N^o 10. N.W. N^o 17.
 19.78 To a Hickory 15 in. dia. Stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 5 in. dia. bears N 35 E. 9 miles dish; to
 Logwood 6 " " " S 21 W. 13 " "
 61.10 To a Hickory 14 in. dia. Stands in the line.
 80.00 Set a post for the cor. to lat. 13. 14. 23. & 24. From
 which a W. Oak 22 in. dia. Stands N 76 W 16
 miles dish; to a B. Gum 23 " " " N 45 E. 17.
 " " Sande broken 3rd rate; Timber W & B.
 Oak, Chestnut Oak, Buck Hickory & c. W & B
 Sassafras Hickory Logwoods, Ironwoods, Pine & c.

T. N^o 10. N.R. N^o 17. 2nd Mer. Ind.^o

West Between Sec. 14 & 23. On a random line T. N^o 10. N.R. N^o 17.

11.35 To a Brook 8 miles wide; Corner S. W.

40.00 Set a temporary post for the cor. to 1/4 Sec.

70.70 Intersected the N. & S. line 43 miles S. of the post set for the cor. to Sec. 14, 15, 22, & 23. Secs.

Broken & 3rd rate; Timber W. Oak, Hickory, B. Oak, Ash, &c. W. S. Sassafras, Dogwood, Oak, Pine &c.

East Corrected Between Sec. 14 & 23. T. N^o 10. N.R. N^o 17.

22.25 To a Hickory 18 in. dia stands in the line

35.35 Set the temporary post at the aver. dist. on the true line for the cor. to 1/4 Sec. from which a

Beech 14 in. dia. bears N 36 E. 19 miles dist; to

Do 15 " " " S 39 W. 11 " "

56.47 To a Hickory 18 in. dia stands in the line.

70.70 To the post set for the cor. to Sec. 13, 14, 23, 24

East Between Sec. 13 & 24 T. N^o 10. N.R. N^o 17.

17.78 To a Hickory 23 in. dia stands in the line.

40.00 Set a post for the cor. to 1/4 Sec. from which a

W. Oak 24 in. dia bears N 68 W. 14 miles dist; to

Beech 16 " " " S 63 E. 27 " "

54.85 To a Beech 24 in. dia stands in the line.

78.55 Intersected the E. Range line 200 miles N. of the post set for the cor. to Sec. 13 & 24. & set a post for Sec. 13 & 24. from which a

Beech 17 in. dia bears S 62 W. 21 miles dist; to

Poplar 33 " " " N 60 W. 10 " "

Secs broken 3rd rate; Timber Beech, W. Oak, B. Oak, Hickory &c. W. S. Sassafras, Ash, Spruce, Ironwoods and birch;

North Between Sec. 13 & 14. T. N^o 10. N.R. N^o 17.

T. N^o 10. N.R. N^o 17. 2nd Mer. (Ind. a.)

- 18.22 To a Poplar 36 in. dia stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Tree 6 in. dia bears N 61 E. 8 miles dist; & a
 do 18 " " " S 67 W 25 " "
 62.00 To a Tree 18 in. dia stands in the line.
 80.00 Set a post for the cor. to sec. 11, 12, 13. & 14 from
 which a Tree 18 in. dia stands N 35 W. 15 miles dist;
 and a do 4 " " " S 27 E. 23 " "
 Broken 2nd & 3rd rate lands; Timber W. Oak,
 W. Oak, Beech, Poplar, Hickory, &c. & 9 species
 and 4 species.

- West On a line between sec. 11. & 14 T. N^o 10. N.
 R. N^o 17.
 40.00 Set a temporary post for the cor. to 1/4 sec.
 71.84 Intersect the N. & S line 58 miles S of the post
 set for the cor. to sec. 10, 11, 14, 15.
 Lands broken 2nd & 3rd rate; Timber Sugar,
 W. Oak, Beech, Ash, Hickory &c. & 9 species, Ash,
 Sassafras, Ironwoods, &c.

- East Corridor between sec. 11. & 14 T. N^o 10. N.R. N^o 17.
 17.62 To a Poplar 19 in. dia stands in the line
 35.42 Set the temporary post at the aver. dist; on the true
 line for the cor. to 1/4 sec. from which a
 Tree 26 in. dia stands N 51 W. 19 miles dist; & a
 do 28 " " " S 63 E. 28 " "
 57.40 To an Ash, 17 in. dia stands in the line.
 70.84 To the post set for the cor. 11, 12, 13. & 14.

- East Between sec. 12 & 13. T. N^o 10. N.R. N^o 17.
 23.70 To a Sugar 14 in. dia stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Tree 15 in. dia bears N 15 E. 22 miles dist; & a
 do 14 " " " S 33 W. 25 " "
 57.90 To a Sugar 15 in. dia stands in the line.

J. N.º 10. N.º 17. 2.º de Mar. Ind.º

7/7/84 I have visited the 2nd Mar. 166 miles N. of the
first set for the cr. to lat. 12, + 13 T. N. 10. N.
N. N. 17. and set a post for corals lat. 12 + 13.
From which a Sugar 14 in. dia stands 46 N. 18. the
dist; and a Bush 3 in. N 60 W 27 in
Proter 2 moderate Sands; Bush,
Sugar, W Oak, Hick, Ash, &c. N Spruce
&c. Dec. 14th 1819

North & Betts on Sep. 11 & 12 I. N. 10. N. H. N. 17.

26.80 To a Buck 17 in. dia. stands in the tree.

40. 00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
Sugar 16 in. diam stands N 67 W. 31 miles distant
No 17 a a a S 60 E 16 a a

59.64 To a Poplar 18 in. dia. Stands in the wood.

67.10 " $\frac{1}{2}$ Brook 10 miles up; Conoco N.M.M.

80.00 Set a post for the cor. to Sep. 1. 2, 11. 12 from which
a Buck 18 in. dia stands S 45 W. 5 miles dist; to
Maple 19 " " " N 71 E. 7 " "
Sands broken 2nd rate; Timber Buck, Sug-
ar. Ash, W. Oak, Poplar, &c. W. 9 Spruce, Sas-
saparilla. Hick. & Maple. &c.

West Bettsen Sep. 2. H Oak Pasadena Calif I No
10. N.Y. No 177.

19.50 To ABrock 10 miles out; Lemee NW.

40.00 Set a trumpet post fr. the cor. to 1st sec.

7062 Enter into the N. & E. line 78 miles S. of the post.
Let for the cor. to Sec. 2, 3, 10, 11. Lands broken
3rd rate; Timber T. Beech, W. Oak, B. Oak, Hick
ory &c. W. G. Sassafras, Oak, Hickory, Ironwoods,
Y. Pine &c.

East Corrected Between Sw! 2 & 11. T. N. 10. N. R.
N. 17.

11.70 To a Reich 14 in. dia. Stand in the line.

T. No 10 N.R. No 17. 2nd Mer. (Ind 9)

- 35.31 Set a stump post for the cor. to $\frac{1}{4}$ sec. at the corner dish, on the true line from which a
 W. Oak, 24 in. dia. bears N 78 E. 17 miles dish; to
 B. Oak 34 " " " S 8 W. 8 " "
 46.16 To a B. Gum 16 in. dia. stands in the line
 70.60 To the post set for the cor. to sec. 1, 2, 11, 12,

- East Between Sec. 1 & 12. *T. No 10. N.R. No 17.*
 18.10 To a W. Oak 28 in. dia. stands in the line
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Beech 3 in. dia. bears N 38 E. 15 miles dish; to
 W. Oak 42 " " " S 27 W. 9 " "
 58.11 To a Hickory 16 in. dia. stands in the line.
 77.96 Intersected the 2nd Mer. 143 miles N of the post
 set for the cor. to sec. 1 & 12. & set a post for the
 cor. to sec. 1 & 12. from which a
 Beech 14 in. dia. bears N 25 E. 7 miles dish; to
 Logwood 4 " " " S 84 W. 10 " "
 Land broken 3rd rate; Timber W. Oak, B. Oak,
 Beech, Hickory &c. &c. W. Logwood Ironwood
 Spruce, &c.

- North Between Sec. 1 & 12. *T. No 10. N.R. No 17.*
 22.45 To a Hickory 17 in. dia. stands in the line.
 40.50 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Beech 10 in. dia. bears S 78 W. 11 miles dish; to
 Do 6 " " " N 37 E. 12 " "
 61.56 To a W. Oak 19 in. dia. stands in the line.
 79.34 Intersected the N. Boundary of *T. No 10. N.R. No 17.*
 247 miles E of the post set for the cor. to sec. 35
 & 36. *T. No 11 N.R. No 17.* and set a post for the
 cor. to sec. 1 & 12. from which a
 Beech 8 in. dia. bears S 50 W. 17 miles dish; to
 Logwood 4 " " " S 63 E. 20 " "
 Land broken 3rd rate; Timber Beech, W. Oak,
 B. Oak, Hickory &c. W. Sassafras, Logwood,

T. N^o 10 N.W. N^o 17. 2nd Mer. (Ind. a.)

Ironwoods, Hick^y, Pines, &c. Dec^r 15th 1839

Surveyed by
Thomas T. Brown
L. S.

I certify that the foregoing transcript of the field notes of Township N^o 10 North of Range N^o 17 West of the 2nd Mer. Indiana, has been compared with the Original notes in this Office, and found to be correct.

Surveyor General's Office,
Cincinnati, Dec. 16. 1839 } W. S. Baird
Sur. Genl.